




PONTI SOLLEVATORI  
ATTREZZATURE PER OFFICINE




# TAPPI E TAMPONI IN GOMMA

CATALOGO 2021



**TAPPI IN GOMMA****PAGE 3****BLOCCHI IN GOMMA****PAGE 18****BLOCCHI IN POLIMERO****PAGE 23****PIASTRE IN GOMMA****PAGE 25****SPECIALI****PAGE 28****RAMPE IN GOMMA****PAGE 29**




**015**

Ø	a	b	d	e
115 mm	-	73 mm	20 mm	-

0,25 kg

suitable for:  
J.A.B. BECKER



**024481**

Ø	a	b	d	e
120 mm	-	75 mm	21 mm	-

0,15 kg

suitable for:  
J.A.B. BECKER



**169100MET**

Ø	a	b	d	e
120 mm	110 mm	-	4 mm	16 mm

0,29 kg with steel plate

suitable for:  
J.A.B. BECKER / ATH-HEINL / HOFMANN / HERRMANN /  
AUTOP-STENHOJ / FINKBEINER / KIRSTEN / WEBER




**169100**

Ø	a	b	d	e
120 mm	110 mm	-	4 mm	16 mm

0,15 kg

suitable for:  
J.A.B. BECKER / ATH-HEINL / HOFMANN / HERRMANN /  
AUTOP-STENHOJ / FINKBEINER / KIRSTEN / WEBER



**169130**

Ø	a	b	d	e
130 mm	122 mm	-	5 mm	17 mm

0,20 kg

suitable for:  
HERRMANN



**335022**

Ø	a	b	d	e
140 mm	132 mm	-	4 mm	17 mm


0,20 kg

suitable for:  
HOFMANN

**335160-GS5.0**

Ø	a	b	d	e
160 mm	148 mm	-	6 mm	24 mm
0,38 kg				

suitable for:  
HOFMANN

**336000**

a	b	d	l	w
154 mm	82 mm	10 mm	162 mm	92 mm
0,24 kg				

suitable for:  
HOFMANN / ROMEICO / HYMO

**01103031**


Ø	a	b	d	e
125 mm	120 mm	90 mm	24 mm	-
0,30 kg with steel plate				

suitable for:  
NUSSBAUM / ATT / AMI / AMMCO / FORCE / WHEELTRONIC /  
PHOENIX / SNAP-ON

**GK125/120**


Ø	a	b	d	e
127 mm	120 mm	83 mm	9 mm	28 mm
0,35 kg with steel plate				

suitable for: SLIFT /  
IME

**GK155/16**

Ø	a	b	d	e
155 mm	153 mm	85 mm	16 mm	-
0,38 kg with steel plate				

suitable for: SLIFT /  
IME

**NEW****GPROD-NUS**

Ø	a	b	c	h
120 mm	85 mm	90 mm	31 mm	41 mm
0,35 kg				

suitable for:  
NUSSBAUM



**GK122/12**

Ø	a	b	d	e
122 mm	116 mm	80 mm	12 mm	-

0,15 kg with steel plate

suitable for: SLIFT /  
IME




**36001.04.04.001**

Ø	a	b	d	e
120 mm	112 mm	83 mm	5 mm	18 mm

0,15 kg

suitable for:  
MAHA / SLIFT / AUTOMASTER



**115172024**

Ø	a	b	d	e
100 mm	90 mm	63 mm	5 mm	17,5 mm

0,10 kg

suitable for: MAHA /  
SLIFT



**17202301MET**

Ø	a	b	d	e
120 mm	113 mm	83 mm	8 mm	22 mm

0,26 kg with steel plate

suitable for: MAHA




**17202301**

Ø	a	b	d	e
120 mm	113 mm	83 mm	8 mm	22 mm

0,15 kg

suitable for: MAHA



**121KP6Z215**

Ø	a	b	d	e
144 mm	117 mm	-	20 mm	-

0,30 kg

suitable for:  
RAVAGLIOLI



**047021040**

Ø	a	b	d	e
145 mm	-	45 mm	26 mm	-
0,30 kg				

suitable for:  
RAVAGLIOLI**04640577**

Ø	a	b	d	e
120 mm	-	36 mm	27 mm	-
0,25 kg				

suitable for:  
RAVAGLIOLI**046405772MET**

Ø	a	b	d	e
123 mm	110 mm	-	10 mm	25 mm
0,30 kg with steel plate				

suitable for:  
RAVAGLIOLI / WERTHER / SPACE / ORLANDINI / OMER**046405772**

Ø	a	b	d	e
123 mm	110 mm	-	10 mm	25 mm
0,15 kg				

suitable for:  
RAVAGLIOLI / WERTHER / SPACE / ORLANDINI / OMER**047021850MET**

Ø	a	b	d	e
100 mm	87 mm	-	9 mm	22 mm
0,17 kg with steel plate				

suitable for:  
RAVAGLIOLI / SIRIO / SPACE / SUPREME / MOLNAR**047021850**

Ø	a	b	d	e
100 mm	87 mm	-	9 mm	22 mm
0,10 kg				

suitable for:  
RAVAGLIOLI / SIRIO / SPACE / SUPREME / MOLNAR



**047021041**

Ø	a	b	d	e
148 mm	133 mm	-	10 mm	25 mm

0,26 kg

suitable for:  
RAVAGLIOLI



**OMCN-140**

Ø	a	b	d	e
143 mm	-	-	27 mm	-

0,35 kg

suitable for: OMCN




**OMCN-140-002**

Ø	a	b	d	e
140 mm	-	42 mm	29 mm	-

0,31 kg

suitable for: OMCN



**WERTHER002**

Ø	a	b	d	e
140 mm	-	-	15 mm	-

0,25 kg

suitable for:  
WERTHER / OMA / BRADBURY / TECALEMIT / AUTEC




**WERTHER001-B1007**

Ø	a	b	d	e
122 mm	114 mm	-	10 mm	28 mm

0,23 kg

suitable for:  
WERTHER / OMA / TECALEMIT / ITALGARAGE / FINKBEINER




**WERTHER001-B2653**

Ø	a	b	d	e
85 mm	39 mm	-	29 mm	50 mm

0,31 kg

suitable for: WERTHER

**15.87.425**

Ø	a	b	d	e
127 mm	123 mm	-	8 mm	22 mm

0,15 kg

suitable for: ZIPPO/  
FOG**15.87.410**

Ø	a	b	d	e
100 mm	-	35 mm	17 mm	-

0,24 kg with steel plate

suitable for: ZIPPO/  
GRUSE**15.87.420**

Ø	a	b	d	e
120 mm	-	44 mm	16 mm	-

0,30 kg with steel plate

suitable for: ZIPPO

**15.87.450**

Ø	a	b	d	e
149 mm	-	60 mm	15 mm	-

0,75 kg with steel plate

suitable for: ZIPPO

**15.87.453**

Ø	a	b	d	e
153 mm	-	60 mm	32 mm	-

0,75 kg with steel plate

suitable for: ZIPPO


**02-CONSUL**

Ø	a	b	d	e
138 mm	-	-	18 mm	-

0,75 kg with steel plate

suitable for: CONSUL






**02-CONSUL-01**

Ø	a	b	d	e
135 mm	35 mm	40 mm	-	-
1,40 kg complete rotating plate				


suitable for:  
CONSUL / ZIPPO / BEISSBARTH



**02-CONSUL-01-CA**

Ø	a	b	d	e
135 mm	35 mm	40 mm	-	-
1,50 kg rotating plate incl. changeable rubber pad				

suitable for:  
CONSUL / ZIPPO / BEISSBARTH



**02-CONSUL-01-GTRP**

Ø	a	b	d	e
135 mm	126 mm	-	8 mm	10 mm
0,30 kg with steel plate				


suitable for:  
CONSUL / ZIPPO / BEISSBARTH / HERRMANN



**664202**

Ø	a	b	d	e
121 mm	-	65 mm	9 mm	-
0,20 kg with steel plate				

suitable for:  
AUTOP-STENHOJ / FOG / CAR-O-LINER



**664000**

Ø	a	b	d	e
122 mm	-	65 / 88	18 mm	-
0,18 kg				


suitable for:  
AUTOP-STENHOJ / NUSSBAUM / FOG / CAR-O-LINER



**664160**

Ø	a	b	d	e
158 mm	-	47 mm	11 mm	-
0,40 kg with steel plate				

suitable for: AUTOP-STENHOJ

**SK2030-105**

Ø	a	b	d	e
109 mm	100 mm	-	10 mm	26 mm
0,15 kg				

suitable for:  
KONI / BRADBURY / HERKULES / TECALEMIT / MAJORLIFT

**SK2030-124**

Ø	a	b	d	e
124 mm	118 mm	-	5 mm	17 mm
0,10 kg				

suitable for: KONI

**SK2030-160**

Ø	a	b	d	e
160 mm	153 mm	-	10 mm	28 mm
0,33 kg				

suitable for:  
KONI / ROMEICO / CAR-O-LINER / HH-INTERTECH /  
BEISSBARTH / FOG / MONDOLFO FERRO

**ROMEICO124**


Ø	a	b	d	e
124 mm	116 mm	-	10 mm	22 mm
0,15 kg				

suitable for:  
ROMEICO / HH-INTERTECH / CORGHI / GRAZIA

**ROTARY**


Ø	a	b	d	e
123 mm	112 mm	-	8 mm	20 mm
0,17 kg				

suitable for: ROTARY

**ROTARY-FJRP**

b	c	d	l	w
80 mm	56 mm	8 mm	104 mm	82 mm
0,12 kg				

suitable for: ROTARY



**ROTARY-PU7352**

a	b	d	l	w
116 mm	80 mm	9 mm	128 mm	89 mm

0,12 kg

suitable for: ROTARY



**ZAV-41-113**

Ø	a	b	d	e
128 mm	112 mm	-	8 mm	22 mm

0,20 kg

suitable for: EUROLIFT / ORLANDINI




**IST0720300**

Ø	a	b	d	e
155 mm	147 mm	-	6 mm	24 mm

0,27 kg

suitable for: ISTOBAL / VELYEN




**IST1304800**

Ø	a	b	d	e
145 mm	-	60 mm	5 mm	-

0,10 kg

suitable for: ISTOBAL / VELYEN / SOURIAU



**VEL001**

Ø	a	b	d	e
121 mm	-	46 mm	7 mm	-

0,10 kg

suitable for: ISTOBAL / VELYEN



**LAUNCH120**

Ø	a	b	d	e
120 mm	108 mm	69 mm	32 mm	-


0,30 kg

suitable for: LAUNCH / EVER ETERNAL / TWIN BUSCH / RP TOOLS / ATH-HEINL / LINCOS / many chinese manufactured lifts

**COR001483**

Ø	a	b	d	e
126 mm	120 mm	-	10 mm	24 mm
0,21 kg				

suitable for:  
CORGHI / HPA / MONDOLFO FERRO / ORLANDINI / SICE

**AGM139**

Ø	a	b	d	e
139 mm	130 mm	-	8 mm	28 mm
0,30 kg				

suitable for:  
AGM / CORGHI / FOG / SICE / HPA-FAIP / MOLNAR

**CASCOS001**

Ø	a	b	d	e
138 mm	130 mm	-	8 mm	25 mm
0,26 kg				

suitable for: CASCOS/  
VILVER

**BRADBURY001**

Ø	a	b	d	e
158 mm	148 mm	-	11 mm	27 mm
0,37 kg				

suitable for:  
BRADBURY / HH-INTERTECH

**BRADBURY002**


Ø	a	b	d	e
150 mm	142 mm	-	7 mm	22 mm
0,21 kg				

suitable for:  
BRADBURY

**RANGER001**

a	b	d	l	w
126 mm	-	13 mm	143 mm	143 mm
0,50 kg				

suitable for:  
BENDPAK / RANGER / DANMAR



**BENDPAK002**

b	c	d	l	w
88 mm	88 mm	12 mm	119 mm	119 mm

0,20 kg

suitable for: BENDPAK



**BENDPAK003**

Ø	a	b	d	e
127 mm	111 mm	-	11 mm	26 mm

0,26 kg

suitable for: BENDPAK




**BENDPAK004**

a	b	d	l	w
126 mm	-	13 mm	143 mm	143 mm

0,50 kg

suitable for:  
BENDPAK / RANGER / DANMAR



**LAYCOCK001**

a	b	d	l	w
140 mm	70 mm	12 mm	150 mm	80 mm

0,27 kg

suitable for: LAYCOCK /  
KISMET




**SILENT001**

b	c	d	l	w
60 mm	40 mm	20 mm	118 mm	83 mm

0,27 kg

suitable for:  
BRADBURY / DUNLOP / SILENT / many chinese  
manufactured lifts



**SILENT001MET**

b	c	d	l	w
60 mm	40 mm	20 mm	118 mm	83 mm

0,35 kg mit Stahlplatte


suitable for:  
BRADBURY / DUNLOP / SILENT / many chinese  
manufactured lifts



**SUM001**


Ø	a	b	d	e
140 mm	134 mm	118 mm	20 mm	88 mm
0,29 kg				

suitable for: SUMMIT

**HPOW001**


Ø	a	b	d	e
120 mm	-	25 mm	17 mm	-
0,21 kg				

suitable for:  
POWERREX / HESHBON / AUTOP-STENHOJ / many chinese  
manufactured lifts

**HPOW002**


Ø	a	b	d	e
120 mm	-	25 mm	25 mm	-
0,32 kg				

suitable for:  
POWERREX / HESHBON / ROTARY / JIG / QUALITY LIFTS /  
many chinese manufactured lifts

**BISHAMON001**


b	c	d	l	w
74 mm	40 mm	20 mm	116 mm	80 mm
0,28 kg mit Stahlplatte				

suitable for:  
BISHAMON / CHIANG LURN / CARLEO

**BISHAMON002**


b	c	d	l	w
45 mm	40 mm	16 mm	112 mm	92 mm
0,31 kg mit Stahlplatte				

suitable for: BISHAMON /  
BENWIL

**GTCN001**

Ø	a	b	d	e
125 mm	-	90 mm	10 mm	-
0,17 kg				

suitable for:  
AUTOMOTECH / EVER ETERNAL / TWIN BUSCH /  
HANMECSON / FORWARD / many chinese manufactured lifts




**GTCN002**

Ø	a	b	d	e
120 mm	-	-	17 mm	-

0,21 kg

suitable for:  
 AUTOP-STENHOJ / HESHBON / TWIN BUSCH / LINCOS /  
 PROVAC  
 / KRÖMER / AUTOMASTER / many chinese manufactured lifts




**GTCN002-RNG**

Ø	a	b	d	e
132 mm	-	119 mm	14 mm	9 mm

0,21 kg

suitable for:  
 many chinese manufactured lifts




**GTCN003**

Ø	a	b	d	e
120 mm	-	-	15 mm	-

0,21 kg

suitable for:  
 FOG / DUNLOP / many chinese manufactured lifts




**GTCN004**

Ø	a	b	d	e
140 mm	130 mm	50 mm	10 mm	32 mm

0,40 kg

suitable for:  
 NORDIC LIFT / TWIN BUSCH / many chinese manufactured lifts



**GTCN009**

Ø	a	b	d	e
130 mm	120 mm	50 mm	10 mm	32 mm

0,40 kg

suitable for:  
 EVER ETERNAL / NORDIC LIFT / TWIN BUSCH / many chinese manufactured lifts




**GTCN006**

Ø	a	b	d	e
120 mm	105 mm	66 mm	8 mm	25 mm

0,21 kg

suitable for:  
 EVER ETERNAL / LAUNCH / TWIN BUSCH / many chinese manufactured lifts

**GTCN005**

b	c	d	l	w
105 mm	50 mm	8 mm	125 mm	75 mm
0,21 kg				

suitable for:  
EVER ETERNAL / LAUNCH / TWIN BUSCH / many chinese  
manufactured lifts

**GTCN008**

Ø	a	b	d	e
140 mm	-	-	21 mm	-
0,35 kg				

suitable for:  
TWIN BUSCH / ATH-HEINL / many chinese manufactured  
lifts

**NORDLIFT17200**


Ø	a	b	d	e
127 mm	115 mm	-	7 mm	23 mm
0,17 kg				

suitable for: NORDLIFT

**149950**

b	c	d	l	w
73 mm	-	18 mm	100 mm	81 mm
0,15 kg				

suitable for:  
J.A.B. BECKER

**100100**

a	b	d	l	w
108 mm	-	12 mm	120 mm	120 mm
0,18 kg				

suitable for: COMPAC

**AC-GS1**

Ø	a	b	d	e
110 mm	-	-	20 mm	-
0,17 kg				

suitable for: AC  
HYDRAULIC

**AC-GS2**

a	b	d	l	w
100 mm	50 mm	10 mm	110 mm	60 mm

0,15 kg

suitable for:  
ACHYDRAULIC / MAHA / ROTARY

**COL001**

Ø	a	b	d	e
89 mm	80 mm	-	17 mm	-

0,10 kg

suitable for: CAR-O-  
LINER

**165046**

a	b	h
150 x 150 mm	100 x 100 mm	140 mm
2,30 kg		

suitable for:  
J.A.B. BECKER / AUTOP-STENHOJ / universal use

**165042**


a	b	h
150 x 150 mm	104 x 104 mm	100 mm
1,75 kg		

suitable for:  
J.A.B. BECKER / AUTOP-STENHOJ / universal use

**165036**


a	b	h
150 x 150 mm	110 x 110 mm	70 mm
1,40 kg		

suitable for:  
J.A.B. BECKER / AUTOP-STENHOJ / universal use

**165036**


a	b	h
150 x 150 mm	115 x 115 mm	60 mm
1,20 kg		

suitable for:  
J.A.B. BECKER / AUTOP-STENHOJ / universal use

**165031**

a	b	h
150 x 150 mm	120 x 120 mm	50 mm
1,10 kg		


suitable for:  
J.A.B. BECKER / AUTOP-STENHOJ / universal use

**165034**

a	b	h
150 x 150 mm	128 x 128 mm	40 mm
0,80 kg		

suitable for:  
J.A.B. BECKER / AUTOP-STENHOJ / universal use






**165037**

a	b	h
150 x 150 mm	135 x 135 mm	30 mm

0,72 kg

suitable for:  
J.A.B. BECKER / AUTOP-STENHOJ / universal use




**165038**

a	b	h
150 x 150 mm	140 x 140 mm	20 mm

0,47 kg

suitable for:  
J.A.B. BECKER / AUTOP-STENHOJ / universal use



**23000251**

a	b	h
150 x 150 mm	115 x 115 mm	60 mm

1,20 kg

suitable for:  
MAHA / universal use



**165040**

a	b	h
180 x 100 mm	-	100 mm

2,10 kg

suitable for: universal use



**165033H**

a	b	h
222 x 137 mm	-	85 mm

2,75 kg with wooden core

suitable for: universal use




**165032**

a	b	h
216 x 136 mm	-	50 mm


1,80 kg

suitable for: universal use

**165035**

a	b	h
160 x 120 mm	-	20 mm
0,60 kg		

suitable for:  
J.A.B. BECKER/ AUTOP-STENHOJ/ universal use

**GK12/8**


a	b	h
120 x 120 mm	100 x 100 mm	80 mm
1,10 kg		

suitable for:  
SLIFT/ IME/ universal use

**GK12/4**

a	b	h
120 x 120 mm	102 x 102 mm	40 mm
0,55 kg		

suitable for:  
SLIFT/ IME/ universal use

**13510030**

a	b	h
135 x 135 mm	100 x 100 mm	30 mm
0,62 kg especially for BMW cars		

suitable for:  
RAVAGLIOLI/ universal use

**13510070**

a	b	h
135 x 135 mm	100 x 100 mm	70 mm
1,52 kg especially for BMW cars		

suitable for:  
RAVAGLIOLI/ universal use

**GK16/9**

a	b	h
160 x 120 mm	120 x 83 mm	90 mm
1,48 kg		

suitable for: universal  
use



**316930**

a	b	h
120 x 100 mm	-	50 mm
0,55 kg		
suitable for: MAHA/ HOFMANN/ universal use		



**316930-NU**

a	b	h
120 x 100 mm	-	50 mm
0,55 kg		
suitable for: MAHA/ universal use		



**38.31.829**

a	b	h
200 x 100 mm	180 x 80 mm	40 mm
0,80 kg		
suitable for: ZIPPO/ MAJORLIFT/ universal use		



**38.31.830**

a	b	h
200 x 100 mm	180 x 80 mm	70 mm
1,40 kg		
suitable for: ZIPPO/ MAJORLIFT/ universal use		



**38.31.831**

a	b	h
230 x 140 mm	220 x 130 mm	140 mm
4,60 kg		
suitable for: ZIPPO/ MAJORLIFT/ universal use		



**38.31.831OLD**

a	b	h
230 x 140 mm	215 x 138 mm	135 mm
4,60 kg with wooden core		
suitable for: ZIPPO/ universal use		

**30100012030**

a	b	h
120 x 100 mm	-	30 mm
0,45 kg		
suitable for: HERKULES		

**PE-900-KGK-20**

250 x 150 x 20 mm

0,11 kg

suitable for:  
universal use on scissor lifts

**PE-900WEISS/KLEIN**

340 x 132 x 50 mm

0,35 kg

suitable for:  
universal use on scissor lifts

**PE-900WEISS/GROSS**

340 x 150 x 100 mm

0,75 kg

suitable for:  
universal use on scissor lifts

**NEW****PE-900-03415.H25**

340 x 150 x 25 mm

0,18 kg

suitable for:  
universal use on scissor lifts

**PE-900-SH-49**

1355 x 140 x 49 mm

1,45 kg

suitable for:  
universal use on scissor lifts

**PE-900-SH-95**

1355 x 140 x 95 mm


2,80 kg

suitable for:  
universal use on scissor lifts



**PB-K03415.H40**


350 x 150 x 40 mm

 0,20 kg

suitable for:  
universal use on scissor lifts

**PB-K03415.H60**


350 x 150 x 60 mm

 0,30 kg

suitable for:  
universal use on scissor lifts

**PB-K03415.H80**


350 x 150 x 80 mm

 0,40 kg

suitable for:  
universal use on scissor lifts

**PB-K15015.H40**


1500 x 150 x 40 mm

 0,90 kg


suitable for:  
universal use on scissor lifts

**PB-K15015.H60**

1500 x 150 x 80 mm

 1,30 kg

suitable for:  
universal use on scissor lifts

**PB-K15015.H80**

1500 x 150 x 80 mm

 1,60 kg

suitable for:  
universal use on scissor lifts



**165029**

c	d	h	l	w
160 mm	320 mm	13 mm	380 mm	260 mm
2,75 kg with steel plate				

suitable for:  
J.A.B. BECKER



**GK40/2**

c	d	h	l	w
240 mm	285 mm	15 mm	400 mm	350 mm
3,30 kg with steelplate				

suitable for: SLIFT /  
IME



**GK40/12**

c	d	h	l	w
240 mm	255 mm	12 mm	400 mm	350 mm
3,10 kg with steelplate				


suitable for: SLIFT /  
IME



**GK53/12**

c	d	h	l	w
240 mm	405 mm	12 mm	535 mm	350 mm
4,20 kg with steelplate				

suitable for: SLIFT /  
IME



**GK34/2**

h	l	w		
20 mm	336 mm	290 mm		
2,35 kg				


suitable for:  
SLIFT / IME / universal use



**GK39/2**


c	d	h	l	w
240 mm	255 mm	20 mm	370 mm	330 mm
2,55 kg				

suitable for:  
MAHA / universal use

**GK45/2**


a	b	c	d	h
450 mm	354 mm	-	354 mm	20 mm

5,70 kg

suitable for:  
MAHA/ universal use**37005/BO**

h	l	w		
20 mm	270 mm	210 mm		

1,35 kg

suitable for: AUTOP-  
STENHOJ**37006/BO**


c	d	h	l	w
320 mm	340 mm	12 mm	400 mm	350 mm

3,35 kg with steel plate / incl. screw connection

suitable for: AUTOP-  
STENHOJ**24003**

c	d	h	l	w
230 mm	311 mm	40 mm	405 mm	305 mm

6,40 kg with steelplate

suitable for:  
AUTOP-STENHOJ / PERKUTE**235NT08022**

a	b	c	d	h
325 mm	257 mm	-	257 mm	20 mm

2,70 kg

suitable for:  
NUSSBAUM**507176**

c	d	h	l	w
80 mm	155 mm	12 mm	220 mm	120 mm

0,85 kg with steelplate

suitable for:  
J.A.B. BECKER




**NEW**  
**970527/BO**

h	l	w		
30 mm	460 mm	300 mm		
5,50 kg				
suitable for: NUSSBAUM				




**509281**

c	d	h	l	w
130 mm	155 mm	12 mm	220 mm	170 mm
1,25 kg with steelplate				
suitable for: J.A.B. BECKER				



**WZ-00931-AO**


a	b	c	d	h
150 mm	95 mm	-	-	12 mm
0,75 kg with steelplate				
suitable for: HYWEMA				



### LIFTADAPTERS80110-130

d	e	h
141 mm	85 mm	58 mm
0,71 kg suitable on rubber pads with: $\varnothing = 110-130$ mm		


suitable for:  
Volvo S80 / universal use



### LIFTADAPTERS80130-160

d	e	h
161 mm	85 mm	58 mm
0,75 kg suitable on rubber pads with: $\varnothing = 130-160$ mm		


suitable for:  
Volvo S80 / universal use



### GUMMIRONDES80

a	e	h
-	85 mm	38 mm
0,30 kg		


suitable for:  
LIFTADAPTERS80 / universal use



### GUMMIRONDE50

a	e	h
-	100 mm	60 mm
0,54 kg		


suitable for:  
LIFTADAPTERS80 / universal use



### TSL3-AD-MEDIUM

a	d	h
-	141 mm	11 mm
0,45 kg suitable on rubber pads with: $\varnothing = 120-140$ mm		


suitable for: Tesla  
Model 3



### TSL3-AD-LARGE


a	d	h
-	161 mm	11 mm
0,50 kg suitable on rubber pads with: $\varnothing = 140-160$ mm		

suitable for: Tesla  
Model 3




**GG-D1000.H30**

a	h
1000 x 500 mm	30
13,60 kg	
suitable for: scissor lifts and low vehicles	




**GG-D1000.H40**

a	h
1000 x 500 mm	40 mm
16,90 kg	
suitable for: scissor lifts and low vehicles	



**GG-D1000.H50**


a	h
1000 x 480 mm	50
23,20 kg	
suitable for: scissor lifts and low vehicles	



**GG2P-D500H40**

a	h
500 x 500 mm	40 mm
8,40 kg	
suitable for: 2-post lifts	





Via della Resistenza 68 - 48013 Brisighella (RA)

☎ +39 0546/81679 📠 +39 0546/83162

🏠 [www.dtssrl.it](http://www.dtssrl.it) ✉ [info@dtssrl.it](mailto:info@dtssrl.it)